JOHN DEERE EXACT MIX

1. PRODUCT AND COMPANY IDENTIFICATION MSDS Number: 15945

Version Date: 3/26/2002

Product Name: JOHN DEERE EXACT MIX

Product Use: 2-Cycle engine oil

Synonyms: 59396/UP06757. 56446/PS04259, 59572/UP06756

Manufacturer

Specialty Oil Company Divison of Pennzoil-Quaker State Company 2740 Valley View Drive Shreveport, LA 71108

USA Supplier

Homelite Consumer Products Co., Inc 1428 Pearman Dairy Road Anderson, SC 29625 USA **Phone Numbers**

Medical Emergency: 713-546-6040

Transportation Emergency (USA): 1-800-468-1263

Transportation Emergency (International):

1-352-323-3500 (Call Collect)

MSDS Assistance: 713-546-6227 Fax On Demand: 713-546-6227 Technical Assistance: 713-458-4998 Customer Service: 1-800-468-8397 Fax Number: 713-217-3181

Internet Address: Not applicable

2. COMPONENT INFORMATION

Component	CAS No.	Weight Percent Range	Hazardous in Blend
BASE LUBRICATING OILS	MIXTURE	85 - 95	No
DETERGENT/INHIBITOR SYSTEM	MIXTURE	5 - 15	No
OIL SOLUBLE DYE	TRADESECRET	< 1	No

This product is NOT HAZARDOUS according to OSHA 29 CFR 1910.1200.

Other: No information available

3. HAZARDS IDENTIFICATION

Emergency and Hazards Overview

CAUTION: Contains petroleum lubricant. Prolonged or repeated skin contact may cause skin irritation. Spills may create a slipping hazard.

ATTENTION: Repeated exposure to oil mist in excess of the OSHA limit (5mg/m3) can result in accumulation of oil droplets in pulmonary tissue.

NFPA Ratings:	Health	1	Flamm	ability	_1_	Reactivity	0
Primary Route of	`Exposure:	SI	kin X	Inhala	tion	Eye	

Health Effect Information

Eye Contact: This product is practically non-irritating to the eyes upon direct contact. Based on testing of similar products and/or components.

Skin Contact: Avoid skin contact. This product may cause slight skin irritation upon direct contact. Based on testing of similar products and/or components. Prolonged or repeated contact may result in contact dermatitis which is characterized by dryness, chapping, and reddening. Prolonged or repeated contact may result in oil acne which is characterized by blackheads with possible secondary infection. See Section 11 - Toxicological Information.

MSDS Number: 15945 Page 2 of 7

> Inhalation: This product has a low vapor pressure and is not expected to present an inhalation hazard at ambient conditions. Caution should be taken to prevent aerosolization or misting of this product. On rare occasions, prolonged and repeated exposure to oil mist poses a risk of pulmonary disease such as chronic lung inflammation. Signs of respiratory effects vary with concentration and length of exposure and include nasal discharge, sore throat, coughing, bronchitis, pulmonary edema and difficulty breathing. Shortness of breath and cough are the most common symptoms.

> Ingestion: Do not ingest. This product is relatively non-toxic by ingestion. This product has laxative properties and may result in abdominal cramps and diarrhea. Exposure to a large single dose, or repeated smaller doses, may lead to lung aspiration, which can lead to lipid pneumonia or chronic lung inflammation. These are low-grade, chronic localized tissue reactions. See Section 11 -Toxicological Information.

Medical Conditions Aggravated by Exposure: Drying and chapping may make the skin more susceptible to other irritants, sensitizers and disease.

Other: No information available.

4. FIRST AID INFORMATION

Eye Contact: Immediately flush eyes with large amounts of water and continue flushing until irritation subsides. If material is hot, treat for thermal burns and seek immediate medical attention.

Skin Contact: No treatment is necessary under ordinary circumstances. Remove contaminated clothing. Wash contaminated area thoroughly with soap and water. If redness or irritation occurs and persists, seek medical attention. If material is hot, submerge injured area in cold water. If victim is severely burned, remove to a hospital immediately.

Inhalation: This material has a low vapor pressure and is not expected to present an inhalation exposure at ambient conditions.

Ingestion: Do not induce vomiting. No treatment is necessary under ordinary circumstances. If victim exhibits signs of lung aspiration such as coughing or choking, seek immediate medical assistance.

Notes to Physician: No information available

Other: No information available.

5. FIRE AND EXPLOSION INFORMATION

Flammable Properties

Flash Point: 230 F. 110 C Test Method: ASTM D-92 (C.O.C.)

Flammable Limits in Air

Upper Percent: No data available Lower Percent: No data available

Autoignition Temperature: No data available Test Method: No information available

NFPA Classification: Class III-B combustible liquid

Extinguishing Media: Use dry chemical, foam, or carbon dioxide.

Fire Fighting Measures

Special Fire Fighting Procedures and Equipment: Water may be ineffective but can be used to cool containers exposed to heat or flame to prevent vapor pressure buildup and possible container rupture. Caution should be exercised when using water or foam as frothing may occur, especially if sprayed into containers of hot, burning liquid.

JOHN DEERE EXACT MIX

Unusual Fire and Explosion Conditions: Dense smoke may be generated while burning. Carbon monoxide, carbon dioxide, and other oxides may be generated as products of combustion.

Hazardous Combustion By-Products: None

Other: No information available.

MSDS Number: 15945

6. ACCIDENTAL RELEASE MEASURES

Personnel Safeguards: Consult Health Effect Information in Section 3, Personal Protection Information in Section 8, Fire and Explosion Information in Section 5, and Stability and Reactivity Information in Section 10.

Regulatory Notifications: Notify appropriate authorities of spill.

Containment and Clean up: Contain spill immediately. Do not allow spill to enter sewers or watercourses. Absorb with appropriate inert material such as sand, clay, etc. Large spills may be picked up using vacuum pumps, shovels, buckets, or other means and placed in drums or other suitable containers.

Other: No information available.

7. HANDLING AND STORAGE INFORMATION

Handling: Fire extinguishers should be kept readily available. See NFPA 30 and OSHA 1910.106-Flammable and Combustible Liquids.

Storage: Do not transfer to unmarked containers. Store in closed containers away from heat, sparks, open flame, or oxidizing materials.

Empty Container Warnings

Drums: Empty drums should be completely drained, properly bunged and promptly returned to a drum reconditioner, or properly disposed. Empty containers retain product residue and can be dangerous.

Plastic: No information available

Other: No information available.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION INFORMATION

Exposure Limits and Guidelines

This product does not contain any components with OSHA or ACGIH exposure limits.

Personal Protective Equipment

Eye/Face Protection: Eye protection is not required under conditions of normal use. If material is handled such that it could be splashed into eyes, we are plastic face shield or splash-proof safety goggles.

Skin Protection: No skin protection is required for single, short duration exposures. For prolonged or repeated exposures, use impervious clothing (boots, gloves, aprons, etc.) over parts of the body subject to exposure. If handling hot material, use insulated protective clothing (boots, gloves, aprons, etc.). Launder soiled clothes. Properly dispose of contaminated leather articles including shoes, which cannot be decontaminated.

Page 3 of 7

JOHN DEERE EXACT MIX

Respiratory Protection: Respiratory protection is not required under conditions of normal use. If vapor or mist is generated when the material is heated or handled, use an organic vapor respirator with a dust and mist filter. All respirators must be NIOSH certified. Do not use compressed oxygen in hydrocarbon atmospheres.

Personal Hygiene: Consumption of food and beverage should be avoided in work areas where hydrocarbons are present. Always wash hands and face with soap and water before eating, drinking, or smoking.

Engineering Controls / Work Practices

MSDS Number: 15945

Ventilation: If vapor or mist is generated when the material is heated or handled, adequate ventilation in accordance with good engineering practice must be provided to maintain concentrations below the specified exposure or flammable limits.

Other: The OSHA permissible exposure limit (PEL) and ACGIH threshold limit value (TLV) for oil mist is 5 mg/m3. The ACGIH short-term exposure limit (STEL) for oil mist is 10 mg/m3.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Red		
Odor: Petroleum	Vapor Pressure: No data available	
Physical state: Liquid	Vapor Density (air=1): No data available	
pH: No data available	Percent Volatile by Volume: No data available	
Boiling Point: No data available	Volatile Organic Content: No data available	
Melting Point: No data available	Molecular Weight: No data available	
Specific Gravity: No data available	Average Carbon Number: No data available	
Pour Point: 0 F, -17.8 C	Viscosity @ 100 F: 10.3 SUS	
	Viscosity @ 40 C: 78 cSt	
Solubility in Water: Negligible in water		
Octanol / Water Coefficient: Log K _{ow} = No data available		

10. STABILITY AND REACTIVITY INFORMATION

Chemical Stability: Stable

Conditions to Avoid: High heat and open flames.

Incompatible Materials to Avoid: May react with strong oxidizing agents.

Other: No information available.

11. TOXICOLOGICAL INFORMATION

Primary Eye Irritation: No information available

Primary Skin Irritation: No information available

Acute Dermal Toxicity: No information available

Subacute Dermal Toxicity: No information available

Dermal Sensitization: No information available

Page 4 of 7

JOHN DEERE EXACT MIX

Page 5 of 7

Inhalation Toxicity: No information available

Inhalation Sensitization: No information available

Oral Toxicity: No information available

MSDS Number: 15945

Mutagenicity: No information available

Carcinogenicity: No information available

Reproductive and Developmental Toxicity: No information available

Teratogenicity: No information available

Immunotoxicity: No information available

Neurotoxicity: No information available

Other: No information available.

12. ECOLOGICAL INFORMATION

Aquatic Toxicity: No information available

Terrestrial Toxicity: No information available

Chemical Fate and Transport: No information available

Other: No information available.

13. DISPOSAL INFORMATION

Regulatory Information: All disposals must comply with federal, state, and local regulations. The material, if spilled or discarded, may be a regulated waste. Refer to state and local regulations. Caution! If regulated solvents are used to clean up spilled material, the resulting waste mixture may be regulated. Department of Transportation (DOT) regulations may apply for transporting this material when spilled.

Waste Disposal Methods: Waste material may be landfilled or incinerated at an approved facility. Materials should be recycled if possible.

Other: No information available.

14. TRANSPORTATION INFORMATION

U.S. Department of Transportation (DOT) Highway / Rail (Bulk): Not Regulated

 $\boldsymbol{Highway}$ / \boldsymbol{Rail} (Non-Bulk): Not Regulated

The DOT description is provided to assist in the proper shipping classification of this product and may not be suitable for all shipping descriptions.

MSDS Number: 15945 JOHN DEERE EXACT MIX Page 6 of 7

	nal Information IMDG Regulated:	IMDG Not Regulate	od. V
	ICAO Regulated:	ICAO Not Regulate	
Other:No i	information available	_	
15. Regula	atory Information		
substances		-	tion 2 of this MSDS were compared to Each list is numerically identified. See
16 - OSHA I		ure limit, 20 - US DOT	en, 12 - OSHA carcinogen, 15 - ACGIH TLV, Appendix A, Hazardous substances, 22 - FDA
rule, 34 - CA (VOC's) in S SARA Sect - CWA Tox	AA Toxic substance for a SOCMI, 41 - CERCLA / tion 313 emissions report	accidental release preven SARA Section 302 extr ing, 43 - CWA Hazardot Proposed test rule for haz	1 - CAA Ozone depletors, 33 - CAA HON ation, 35 - CAA Volatile organic compounds emely hazardous substances, 42 - CERCLA / as substances, 44 - CWA Priority pollutants, 45 cardous air pollutants, 47 - RCRA Basis for MCLs
	eriteria, 55 - Mexico - Wa		tance, 54 - Mexico - Drinking water - - US -TSCA Section (12)(b) - export
64 - MA <i>-</i> E	Extraordinarily hazardous	s substances, 65 - MN - I	62 - MI - Critical materials, 63 - MA - RTK, Hazardous substances, 66 - PA - RTK, 67 - NJ NJ - Special hazardous substances
		_	pean - EINECS, 82 - Japan - ENCS, 83 - Korea A , 85 - China Inventory
-	ySearch Results: Lents appear on any of the	e regulatory lists searche	d.
U.S. TSCA	Inventory: All compon	ents of this material are	on the US TSCA Inventory.
	tion 313: This product is at or greater than 1.0% (0		y SARA, Title III, Section 313 Reportable
IARC: No i	information available		
SARA 311 / Acute: Not Regula		e: Pressure:	Reactive:
	WHMIS Classification ontrolled substance under	WHMIS	
Hazard S	Union Classification Symbols: o classification recommen rases:	nded	

No classification recommended

MSDS Number: 15945 JOHN DEERE EXACT MIX Page 7 of 7

Safety Phrases:

No classification recommended

Other: No information available

16. OTHER INFORMATION

Health and Environmental Label Language

CAUTION: Contains Petroleum Lubricant. Prolonged or repeated skin contact may cause skin irritation.

ATTENTION: Repeated exposure to oil mist in excess of the OSHA limit (5mg/m3) can result in accumulation of oil droplets in pulmonary tissue.

PRECAUTIONARY MEASURES: Avoid excessive & prolonged skin contact. Wash thoroughly after handling. Avoid generation and inhalation of oil mists.

INSTRUCTIONS IN CASE OF FIRE OR SPILL: In case of fire, use water spray, foam, dry chemical or carbon dioxide. Water spray may be ineffective, but can be used to cool containers. In case of spill, do not use water, soak up with absorbent material.

DON'T POLLUTE, CONSERVE RESOURCES, RETURN USED OIL TO COLLECTION CENTER.

MSDS Revisions

Previous Version Date: 6/22/2000

Previous Version Information

No information available

Other

No information available

Prepared By:

Pennzoil-Quaker State Company Environmental, Safety, Health, & DOT Compliance P. O. Box 2967 Houston, TX 77252-2967 USA

Disclaimer of Warranty: The information contained herein is based upon data and information available to us, and reflects our best professional judgement. This product may be formulated in part with components purchased from other companies. In many instances, especially when proprietary or trade secret materials are used, Pennzoil-Quaker State Company must rely upon the hazard evaluation of such components submitted by that product's manufacturer or importer. No warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of such data or information. The results to be obtained from the use thereof, or that any such use does not infringe any patent. Since the information contained herein may be applied under conditions of use beyond our control and with which we may be unfamiliar, we do not assume responsibility for the results of such application. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular use.